




LINFA

EVOLVED MATTER

COMPACT



COLLECTION CATALOGUE

unicomstarker®



LINFA

EVOLVED MATTER
COMPACT

unicomstarker®

LINFA

Tutto il fascino e il calore del legno rivivono in Linfa la nuova collezione ceramica di Unicomstarker.

Un design unico che riporta la natura al centro degli spazi abitativi e del comfort di chi li abita, rendendola al tempo stesso protagonista ma anche scenografia di ambienti con stili e funzioni diversi.

Le essenze proposte e una completa gamma di formati donano a Linfa trasversalità e totale libertà di utilizzo per essere perfettamente adattabile ad ogni progetto architettonico indoor e outdoor.

Linfa, the new Unicomstarker ceramic collection, embodies all the charm and warmth of wood.

A unique design that brings nature back to the heart of domestic spaces and the comfort of those who live there, making it both the starring feature and the backdrop in rooms with different styles and functions.

The complete selection of woods and sizes make Linfa a fully transversal range offering total freedom of use, perfectly adaptable to any indoor or outdoor architecture project.



LINFA


COLLECTION

produzione - production
industriale - industrial

spessore - thickness
10 mm

usi - use
interni residenziali, bagni o locali commerciali, spazi pubblici e spazi outdoor
housing environments, bathrooms or refined commercial locations,
public spaces as well as outdoor spaces

formati - sizes
30x120 - 20x120



decori - decoration
stripes - hexagon

pezzi speciali - complementary pieces
battiscopa smaltato - gradone - gradone angolare - elemento a L

OLMO

ACERO

ROVERE

QUERCIA




olmo



LINFA OLMO GRIP
20x120 - 8"x48"





LINFA OLMO GRIP
20x120 - 8"x48"

LINFA OLMO STRIPES
20x120 - 8"x48"



LINFA OLMO
20x120 - 8"x48"

OXYD LAVA
60x120 - 24"x48"

acero




LINFA ACERO
20x120 - 8"x48"
30x120 - 12"x48"





LINFA ACERO
20x120 - 8"x48"
30x120 - 12"x48"



LINFA ACERO
20x120 - 8"x48"
30x120 - 12"x48"



LINFA ACERO
30x120 - 12"x48"

LINFA ACERO HEXAGON
30x34 - 12"x13"

VENICE RIALTO
60x60 - 24"x24"

rovere



LINFA ROVERE
20x120 - 8"x48"





LINFA ROVERE
20x120 - 8"x48"

LINFA ROVERE STRIPES
20x120 - 8"x48"



LINFA ROVERE
20x120 - 8"x48"

LINFA ROVERE STRIPES
20x120 - 8"x48"





LINFA ROVERE
20x120 - 8"x48"

LINFA ROVERE STRIPES
20x120 - 8"x48"

quercia



LINFA QUERCIA
20x120 - 8"x48"
30x120 - 12"x48"





LINFA QUERCIA
20x120 - 8"x48"
30x120 - 12"x48"



LINFA QUERCIA
20x120 - 8"x48"
30x120 - 12"x48"

LINFA QUERCIA STRIPES
20x120 - 8"x48"

LINFA
COLLECTION



LINFA ACERO STRIPES
20x120 - 8"x48"

OLMO



ACERO



ROVERE



QUERCIA




COLORI COLOURS COULEUR FARBE



OLMO **ACERO** **ROVERE** **QUERCIA**

FORMATI SIZES FORMATS FORMATE



30x120 cm
12"x48"
rettificato **60**

20x120 cm
8"x48"
rettificato **60** grip **64**

DECORI DECORS DECORATION DEKORE



Stripes Olmo
20x120 cm
24"x48"
49



Stripes Acero
20x120 cm
24"x48"
49



Stripes Rovere
20x120 cm
24"x48"
49



Stripes Quercia
20x120 cm
24"x48"
49



Mosaico Hexagon Olmo
30x34 cm
12"x13"
34



Mosaico Hexagon Acero
30x34 cm
12"x13"
34







Mosaico Hexagon Rovere
30x34 cm
12"x13"
34



Mosaico Hexagon Quercia
30x34 cm
12"x13"
34












PEZZI SPECIALI SPECIAL ITEMS PIÉCES ESPECIALES FORMTEILE

| | | | |
|--|---|---|--|
|  <p>GRADONE COSTA RETTA 20x120x3.2 cm 8"x48"x1^{17/64}"</p> <p>rett. 165</p> <p>grip 170</p> <p>30x120x3.2 cm 12"x48"x1^{17/64}"</p> <p>rett. 165</p> |  <p>GRADONE ANGOLARE COSTA RETTA 20x120x3.2 cm 8"x48"x1^{17/64}"</p> <p>rett. 175</p> <p>grip 180</p> <p>30x120x3.2 cm 12"x48"x1^{17/64}"</p> <p>rett. 175</p> |  <p>ELEMENTO A L 20x60x5 cm 8"x24"x2"</p> <p>rett. 50</p> <p>grip 51</p> <p>20x120x5 cm 8"x48"x2"</p> <p>rett. 98</p> <p>grip 100</p> |  <p>BATTISCOPA SMALTATO 7x60 cm 3"x24"</p> <p>rett. 18</p> |
|--|---|---|--|

IMBALLI PACKING EMBALLAGES VERPACKUNG

| cm | inch | | spessore | pezzi/sc | mq/sc | kg/sc | sc/pl | mq/pl | kg/pl |
|------------|------------------------------|-------------------------------------|-----------|----------|---------|---------|---------|---------|---------|
| | | | thickness | pcs/box | sqm/box | kgs/box | box/pal | sqm/pal | kgs/pal |
| 20x120 | 8"x48" | rettificato grip | 10 | 6 | 1.44 | 30.00 | 24 | 34.56 | 720.00 |
| 30x120 | 12"x48" | rettificato | 10 | 4 | 1.44 | 30.00 | 24 | 34.56 | 720.00 |
| 20x120 | 8"x48" | stripes decoro rettificato | | 6 | | 25.80 | | | |
| 30x34 | 12"x13" | mosaico hexagon | | 6 | | 12.78 | | | |
| 30x120x3.2 | 12"x48"x1 ^{17/64} " | gradone costa retta | | 2 | | 19.20 | | | |
| 30x120x3.2 | 12"x48"x1 ^{17/64} " | gradone angolare costa retta | | 2 | | 20.15 | | | |
| 20x120x3.2 | 8"x48"x1 ^{17/64} " | gradone costa retta grip | | 2 | | 14.20 | | | |
| 20x120x3.2 | 8"x48"x1 ^{17/64} " | gradone angolare costa retta grip | | 2 | | 15.60 | | | |
| 20x60x5 | 8"x24"x2" | elemento a L rettificato grip | | 4 | | 12.80 | | | |
| 20x120x5 | 12"x48"x2" | elemento a L rettificato grip | | 4 | | 25.60 | | | |
| 7x60 | 3"x24" | elemento a L rettificato | | 12 | | 10.25 | | | |

CARATTERISTICHE TECNICHE TECHNICAL FEATURES
CARACTERISTIQUES TECHNIQUES TECHNISCHE EIGENSCHAFTEN

| | standards | characteristics or properties | declared values |
|---|---|--|--|
|  | ISO 10545-3 | assorbimento d'acqua water absorption | <0.5% |
|  | ISO 10545-4 | resistenza alla flessione breaking strength | 35 N/mm ² |
|  | ISO 10545-13 | resistenza agli acidi resistance to acid | GLA |
|  | ISO 10545-12 | resistenza al gelo frost resistance | resiste frost proof |
|  | ISO 10545-14 | resistenza alle macchie stain resistance | 4 |
|  | ISO 10545-2 | ortogonalità orthogonality | ±0.6% |
|  | ISO 10545-2 | planarità surface flatness | ±0.5% |
|  | ISO 10545-2 | spessore thickness | 10 mm |
|  | DIN 51097 DIN 51130 ANSI A 137.1 DCOF BOT 3000 E | coefficiente d'attrito (scivolosità) static coefficient of friction | A+B R10 > 0.42 |
|  | DIN 51097 DIN 51130 ANSI A 137.1 DCOF BOT 3000 E | coefficiente d'attrito (scivolosità) static coefficient of friction | A+B+C R11 > 0.42 |
|  | | variazioni cromatiche color shade variations | V3 variazione moderata moderate variation |

UNICOMSTARKER LINFA COLLECTION
IS A UNICOMSTARKER'S PROJECT

CONTACTS

UNICOM SRL

via flumendosa 7
41042 fiorano modenese
modena italy
T +39 (0)536 926011
unicomstarker.com

UNICOMSTARKER SHOWROOM

via flumendosa 7
41042 fiorano modenese
modena italy



Quanto contenuto nel catalogo è indicativo e non esaustivo riguardo a grafiche, decori, colori, imballi e dimensioni.

The content of this catalogue is only indicative and not exhaustive in respect of graphics, decorations, colours, packaging and sizes.

Le contenu de notre catalogue concernant les decors, coloris, graphiques, emballage et dimensions est indicatif.

Was im Katalog enthalten ist, ist ein Hinweis und nicht erschöpfend in Bezug auf Grafiken, Dekorationen, Farben, Verpackung und Abmessungen.

**think
outside
the box**

